



EZ STAK
Mobile Workspace Systems

TRAILER PACKAGES

CONFIGURABLE STANDARDS | STEP-BY-STEP DESIGN GUIDE

OUR PROCESS.



CONSULT

DESIGN

MANUFACTURE

INSTALL

DELIVER

FOLLOW-UP

HISTORY OF EZ STAK.



1998

Mike Lawrenson starts Ranger Supply in Kingston, Ontario from his home garage. His company specializes in outfitting trucks to enhance efficiency on the job for people in the trades.




2002

First large contract is landed with a large municipality. 16 vans are outfitted with shelving, generator cabinets, fuel storage and strobe lighting.



2010

Ranger Supply is renamed to OPS Inc., which is eventually absorbed by EZ STAK Inc.



2014

EZ STAK registers as a U.S. corporation and opens its first U.S. facility near Chicago, IL.



2020

EZ STAK opens a 73,000 sq. ft. facility in Watertown, NY which is the current USA facility.

MADE IN AMERICA

Our ambitions are global but our storage systems are made local.



CUSTOMER CARE

With our Customer Care Program, you'll hear from us right away.



LIFETIME WARRANTY

The quality of our products ensures Limited Lifetime Warranty.



HOW TO BUILD YOUR TRAILER.

Choose from our
standard trailer design
layouts (page 4-16)

OR


Follow the step-by-step
guide below.



**CHOOSE YOUR
TRAILER LENGTH**



**CHOOSE FRONT
WALL MODULE
LAYOUT**



**CHOOSE CURB SIDE
AND ROAD SIDE
MODULE LAYOUT**



**CHOOSE
ACCESSORIES**

TABLE OF CONTENTS

STANDARD TRAILER PACKAGES

16' TRAILERS	5
20' TRAILERS	8
24' TRAILERS	11
28' TRAILERS	14

STEP-BY-STEP TRAILER DESIGN GUIDE

CHOOSE TRAILER LENGTH	18
CHOOSE FRONT WALL MODULES	20
CHOOSE CURB SIDE AND ROAD SIDE MODULES	22
CHOOSE ADD-ON OPTIONS	29

**WE ARE YOUR ONE-SOURCE PROVIDER FOR
DESIGNING, BUILDING, AND DELIVERY OF
CUSTOM ENCLOSED TRAILERS TO YOUR
WORKSITE.**






STANDARD TRAILER PACKAGES

FOR 16' TRAILER

OFFICE TRAILER LAYOUT



DRIVER SIDE

ITEM	PART #	QTY
Shelf Unit	SU-72-48-24-WW	1
Closet Unit	CL-72-48-24-WW	1
Locker Unit	LK-72-18-24-WW	1
Chest Unit	CH-14-48-12	1
Countertop	CT-1.5-96-25	1

PASSENGER SIDE

ITEM	PART #	QTY
Chest Unit	CH-14-48-12	3
Drawer Unit	DU-28-18-24	1
Drawer Unit	DU-28-18-24-WW	2
Countertop	CT-1.5-48-25	2

DESCRIPTION:

TRAILER: Passenger side door and back ramp doors, tandem 7000LB torsion axles, electric tongue jack, adjustable coupler-switchable between 2-5/16" ball hitch or pintle eye, manual roof vent


ELECTRICAL: Perimeter exterior lights, amber warning flasher exterior lights, LED dome interior lights and LED 48" light fixtures, shore power plug, 12V battery with charger, air conditioner 13500 BTU with heat strip, electric fan-forced in-wall heater with thermostat, 6X interior electrical outlets, 1X exterior electrical outlet, solar charger

CABINETRY: Please see above notes



FOR 16' TRAILER

TOOL TRAILER LAYOUT



DRIVER SIDE

ITEM	PART #	QTY
Shelf Unit	SU-72-48-24-WW	2
Shelf Unit	SU-72-36-24-WW	1
Closet Unit	CL-72-48-24	1

PASSENGER SIDE

ITEM	PART #	QTY
Closet Unit	CL-36-36-24	1
Drawer Unit	DU-36-36-24	1
Shelf Unit	SU-72-48-24-WW	2

DESCRIPTION:

TRAILER: Passenger side door and back ramp doors, tandem 7000LB torsion axles, electric tongue jack, adjustable coupler-switchable between 2-5/16" ball hitch or pintle eye, manual roof vent


ELECTRICAL: Perimeter exterior lights, amber warning flasher exterior lights, LED dome interior lights and LED 48"L light fixtures, shore power plug, 12V battery with charger, air conditioner 13500 BTU with heat strip, 1X exterior electrical outlet, electric fan-forced in-wall heater with thermostat, solar charger

CABINETRY: Please see above notes



FOR 16' TRAILER

OFFICE/TOOL TRAILER LAYOUT



DRIVER SIDE

ITEM	PART #	QTY
Closet Unit	CL-72-48-24-WW	1
Locker Unit	LK-72-18-24-WW	1
Countertop	CT-1.5-96-25	1
Chest Unit	CH-14-48-12	1

PASSENGER SIDE


ITEM	PART #	QTY
Chest Unit	CH-14-48-12	1
Drawer Unit	DU-36-18-24	1
Shelf Unit	SU-72-48-24-WW	1

DESCRIPTION:

TRAILER: Passenger side door and back ramp doors, tandem 7000LB torsion axles, electric tongue jack, adjustable coupler - switchable between 2-5/16" ball hitch or pintle eye, manual roof vent


ELECTRICAL: Perimeter exterior lights, amber warning flasher exterior lights, LED dome interior lights and LED 48"L light fixtures, shore power plug, 12V battery with charger, air conditioner 13500 BTU with heat strip, electric fan-forced in-wall heater with thermostat, 2X interior electrical outlets, 1X exterior electrical outlet, solar charger

CABINETRY: Please see above notes



FOR 20' TRAILER

OFFICE TRAILER LAYOUT



DRIVER SIDE

ITEM	PART #	QTY
Shelf Unit	SU-72-48-24	1
Closet Unit	CL-72-48-24-WW	1
Locker Unit	LK-72-24-24-WW	2
Countertop	CT-1.5-96-25	1
Chest Unit	CH-14-48-12	1

PASSENGER SIDE

ITEM	PART #	QTY
Chest Unit	CH-14-48-12	4
Drawer Unit	DU-28-18-24	3
Drawer Unit	DU-28-18-24-WW	1
Countertop	CT-1.5-48-25	3

DESCRIPTION:

TRAILER: Passenger side door and back ramp doors, tandem 7000LB torsion axles, electric tongue jack, adjustable coupler - switchable between 2-5/16" ball hitch or pintle eye, manual roof vent


ELECTRICAL: Perimeter exterior lights, amber warning flasher exterior lights, LED dome interior lights and LED 48"L light fixtures, shore power plug, 12V battery with charger, air conditioner 13500 BTU with heat strip, 2X electric fan-forced in-wall heater with thermostat, 8X interior electrical outlets, 1X exterior electrical outlet, solar charger

CABINETRY: Please see above notes



FOR 20' TRAILER

TOOL TRAILER LAYOUT



DRIVER SIDE

ITEM	PART #	QTY
Shelf Unit	SU-72-48-24	1
Shelf Unit	SU-72-48-24-WW	2
Shelf Unit	SU-72-36-24	1
Closet Unit	CL-72-48-24	1

PASSENGER SIDE

ITEM	PART #	QTY
Closet Unit	CL-36-36-24	1
Drawer Unit	DU-36-36-24	1
Shelf Unit	SU-72-48-24-WW	2
Shelf Unit	SU-72-48-24	1

DESCRIPTION:

TRAILER: Passenger side door and back ramp doors, tandem 7000LB torsion axles, electric tongue jack, adjustable coupler - switchable between 2-5/16" ball hitch or pintle eye, roof vent


ELECTRICAL: Perimeter exterior lights, amber warning flasher lights, LED dome interior lights and 4X LED 48" light fixtures, shore power plug, 12V battery with charger, air conditioner 13500 BTU with heat strip, 1X exterior electrical outlet, electric fan-forced in-wall heater with thermostat, solar charger

CABINETRY: Please see above notes



FOR 20' TRAILER

OFFICE/TOOL TRAILER LAYOUT



DRIVER SIDE

ITEM	PART #	QTY
Closet Unit	CL-72-48-24-WW	2
Locker Unit	LK-72-18-24	1
Countertop	CT-1.5-96-25	1
Chest Unit	CH-14-48-12	1

PASSENGER SIDE

ITEM	PART #	QTY
Chest Unit	CH-14-48-12	1
Drawer Unit	DU-36-18-24	1
Shelf Unit	SU-72-48-24-WW	2

DESCRIPTION:

TRAILER: Passenger side door and back ramp doors, tandem 7000LB torsion axles, electric tongue jack, adjustable coupler - switchable between 2-5/16" ball hitch or pintle eye, roof vent


ELECTRICAL: Perimeter exterior lights, amber warning flasher exterior lights, LED dome interior lights and LED 48"L light fixtures, shore power plug, 12V battery with charger, air conditioner 13500 BTU with heat strip, electric fan-forced in-wall heater with thermostat, 2X interior electrical outlets, 1X exterior electrical outlet, solar charger

CABINERY: Please see above notes



FOR 24' TRAILER

OFFICE TRAILER LAYOUT



DRIVER SIDE

ITEM	PART #	QTY
Shelf Unit	SU-72-48-24	1
Closet Unit	CL-72-48-24-WW	2
Locker Unit	LK-72-18-24	2
Countertop	CT-1.5-96-25	1
Chest Unit	CH-14-48-12	1

PASSENGER SIDE

ITEM	PART #	QTY
Chest Unit	CH-14-48-12	5
Drawer Unit	DU-28-18-24	3
Drawer Unit	DU-28-18-24-WW	2
Countertop	CT-1.5-48-25	4

DESCRIPTION:

TRAILER: Passenger side door and back ramp doors, tandem 7000LB torsion axles, electric tongue jack, adjustable coupler - switchable between 2-5/16" ball hitch or pintle eye, roof vent

ELECTRICAL: Perimeter exterior lights, amber warning flasher exterior lights, LED dome interior lights and LED 48" light fixtures, shore power plug, 12V battery with charger, air conditioner 13500 BTU with heat strip, electric fan-forced in-wall heater with thermostat, 10X interior electrical outlets, 1X exterior electrical outlet, solar charger

CABINETRY: Please see above notes



FOR 24' TRAILER

TOOL TRAILER LAYOUT



DRIVER SIDE

ITEM	PART #	QTY
Shelf Unit	SU-72-48-24	2
Shelf Unit	SU-72-48-24-WW	2
Shelf Unit	SU-72-36-24	1
Closet Unit	CL-72-48-24	1

PASSENGER SIDE


ITEM	PART #	QTY
Closet Unit	CL-36-36-24	1
Drawer Unit	DU-36-36-24	1
Shelf Unit	SU-72-48-24	1
Shelf Unit	SU-72-48-24-WW	3

DESCRIPTION:

TRAILER: Passenger side door and back ramp doors, tandem 7000LB torsion axles, electric tongue jack, adjustable coupler - switchable between 2-5/16" ball hitch or pintle eye, manual roof vent


ELECTRICAL: Perimeter exterior lights, amber warning flasher exterior lights, LED dome interior lights and 4X LED 48"L light fixtures, shore power plug, 12V battery with charger, air conditioner 13500 BTU with heat strip, 1X exterior electrical outlet, electric fan-forced in-wall heater with thermostat, solar charger

CABINETRY: Please see above notes



FOR 24' TRAILER

OFFICE/TOOL TRAILER LAYOUT



DRIVER SIDE

ITEM	PART #	QTY
Shelf Unit	SU-72-48-24-WW	2
Locker Unit	LK-72-18-24	2
Countertop	CT-1.5-96-25	1
Chest Unit	CH-14-48-12	1

PASSENGER SIDE

ITEM	PART #	QTY
Chest Unit	CH-14-48-12	1
Drawer Unit	DU-36-18-24	1
Shelf Unit	SU-72-48-24-WW	3

DESCRIPTION:

TRAILER: Passenger side door and back ramp doors, tandem 7000LB torsion axles, electric tongue jack, adjustable coupler - switchable between 2-5/16" ball hitch or pintle eye, manual roof vent


ELECTRICAL: Perimeter exterior lights, amber warning flasher exterior lights, LED dome interior lights and LED 48"L light fixtures, shore power plug, 12V battery with charger, air conditioner 13500 BTU with heat strip, electric fan-forced in-wall heater with thermostat, 2X interior electrical outlets, 1X exterior electrical outlet, solar charger

CABINETRY: Please see above notes



FOR 28' TRAILER

OFFICE TRAILER LAYOUT



DRIVER SIDE

ITEM	PART #	QTY
Shelf Unit	SU-72-48-24	1
Closet Unit	CL-72-48-24-WW	2
Locker Unit	LK-72-24-24	2
Locker Unit	LK-72-24-24-WW	1
Chest Unit	CH-14-48-12	1
Countertop	CT-1.5-96-25	5

PASSENGER SIDE

ITEM	PART #	QTY
Chest Unit	CH-14-48-12	6
Drawer Unit	DU-28-18-24	4
Drawer Unit	DU-28-18-24-WW	2
Countertop	CT-1.5-48-25	5

DESCRIPTION:

TRAILER: Passenger side door and back ramp doors, tandem 7000LB torsion axles, electric tongue jack, adjustable coupler - switchable between 2-5/16" ball hitch or pintle eye, manual roof vent


ELECTRICAL: Perimeter exterior lights, amber warning flasher exterior lights, LED dome interior lights and LED 48"L light fixtures, shore power plug, 12V battery with charger, air conditioner 13500 BTU with heat strip, 2X electric fan-forced in-wall heater with thermostat, 10X interior electrical outlets, 1X exterior electrical outlet, solar charger

CABINETRY: Please see above notes



FOR 28' TRAILER

TOOL TRAILER LAYOUT



DRIVER SIDE

ITEM	PART #	QTY
Shelf Unit	SU-72-48-24	2
Shelf Unit	SU-72-48-24-WW	3
Shelf Unit	SU-72-36-24	1
Closet Unit	CL-72-48-24	1

PASSENGER SIDE

ITEM	PART #	QTY
Closet Unit	CL-36-36-24	1
Drawer Unit	DU-36-36-24	1
Shelf Unit	SU-72-48-24	2
Shelf Unit	SU-72-48-24-WW	2

DESCRIPTION:

TRAILER: Passenger side door and back ramp doors, tandem 7000LB torsion axles, electric tongue jack, adjustable coupler - switchable between 2-5/16" ball hitch or pintle eye, manual roof vent


ELECTRICAL: Perimeter exterior lights, amber warning flasher exterior lights, LED dome interior lights and 4X LED 48"L light fixtures, shore power plug, 12V battery with charger, air conditioner 13500 BTU with heat strip, 1X exterior electrical outlet, electric fan-forced heater with thermostat, solar charger

CABINETRY: Please see above notes



FOR 28' TRAILER

OFFICE/TOOL TRAILER LAYOUT



DRIVER SIDE

ITEM	PART #	QTY
Closet Unit	CL-72-48-24-WW	3
Locker Unit	LK-72-24-24	1
Chest Unit	CH-14-48-12	1
Countertop	CL-72-48-24	1

PASSENGER SIDE

ITEM	PART #	QTY
Drawer Unit	DU-36-18-24	1
Shelf Unit	SU-72-48-24	1
Shelf Unit	SU-72-48-24-WW	3

DESCRIPTION:

TRAILER: Passenger side door and back ramp doors, tandem 7000LB torsion axles, electric tongue jack, adjustable coupler - switchable between 2-5/16" ball hitch or pintle eye, roof vent

ELECTRICAL: Perimeter exterior lights, amber warning flasher exterior lights, LED dome interior lights and LED 48"L light fixtures, shore power plug, 12V battery with charger, air conditioner 13500 BTU with heat strip, electric fan-forced in-wall heater with thermostat, 2X interior electrical outlets, 1X exterior electrical outlet, solar charger

CABINETRY: Please see above notes





STEP-BY-STEP TRAILER DESIGN GUIDE


STEP ONE

CHOOSE YOUR TRAILER LENGTH

16' TRAILER



20' TRAILER



- 16'L x 8.5'W x 7' interior height
- 72"L triple tube tongue
- steel frame, painted black
- flat front, roof and floor
- passenger side door with slide out step
- ramp doors with spring assist and cam lock, comes with transition plate
- 3/4" plywood flooring, black
- 1/4" white walls and ceiling
- white exterior, screwless panels
- crossmembers, wall posts and roof bows at 16" O/C
- tandem 7000LB torsion axles with electric brakes
- electric tongue jack
- adjustable coupler - switchable between 2-5/16" ball hitch or pintle eye
- dot LED lights
- 7-pin round plug, Phillips
- stabilizer jacks
- brake-away kit and charger
- heat shrink all connections
- insulated walls and ceiling
- 7x perimeter lighting
- 4x amber warning flasher lights
- 3x LED dome interior lights and 4x LED 48" light fixtures
- breaker panel, 8ct, 100A, 120/240V 2P3W, w/ lug, SQDO8L100S
- Shore power plug
- 12V battery with battery with charger
- 1x exterior electrical outlet
- provision for roof top A/C and roof vent
- provision for windows (if applicable)
- solar charger



- 20' x 8.5' x 7' interior height
- 72"L triple tube tongue
- steel frame, painted black
- flat front, roof and floor
- passenger side door with slide out step
- ramp doors with spring assist and cam lock, comes with transition plate
- 3/4" plywood flooring, black
- 1/4" white walls and ceiling
- white exterior, screwless panels
- crossmembers, wall posts and roof bows at 16" O/C
- tandem 7000LB torsion axles with electric brakes
- electric tongue jack
- adjustable coupler - switchable between 2-5/16" ball hitch or pintle eye
- dot LED lights
- 7-pin round plug Phillips
- stabilizer jacks
- brake-away kit and charger
- heat shrink all connections
- insulated walls and ceiling
- 7x perimeter lighting
- 4x amber warning flasher lights
- 4x LED dome interior lights and 4x LED 48" light fixtures
- breaker panel, 8ct, 100A, 120/240V, 2P3W, w/l lug, SQDO8L100S
- shore power plug
- 12V battery with charger
- 1x exterior electrical outlet
- provision for roof top A/C and roof vent
- provision for windows (if applicable)
- solar charger

24' TRAILER



- 24'L x 8.5'W x 7' interior height
- 72"L triple tube tongue
- steel frame, painted black
- flat front, roof and floor
- passenger side door with slide out step
- ramp doors with spring assist and cam lock, comes with transition plate
- 3/4" plywood flooring, black
- 1/4" white walls and ceiling
- white exterior, screwless panels
- crossmembers, wall posts and roof bows at 16" O/C
- tandem 7000LB torsion axles with electric brakes
- electric tongue jack
- adjustable coupler - switchable between 2-5/16" ball hitch or pintle eye
- dot LED lights
- 7-pin round plug, Phillips
- stabilizer jacks
- brake-away kit and charger
- heat shrink all connections
- insulated walls and ceiling
- 7x perimeter lighting
- 4x amber warning flasher lights
- 4x LED dome interior lights and 6x LED 48" light fixtures
- breaker panel, 24ct, 100A, 120/240V, 60A, CQO124M60PC
- shore power plug
- 12V battery with charger
- 1x exterior electrical outlet
- provision for roof top A/C and roof vent
- provision for windows (if applicable)
- solar charger

28' TRAILER




- 28'L x 8.5'W x 7' interior height
- 72"L triple tube tongue
- steel frame, painted black
- flat front, roof and floor
- passenger side door with slide out step
- ramp doors with spring assist and cam lock, comes with transition plate
- 3/4" plywood flooring, black
- 1/4" white walls and ceiling
- white exterior, screwless panels
- crossmembers, wall posts and roof bows at 16" O/C
- tandem 7000LB torsion axles with electric brakes
- electric tongue jack
- adjustable coupler - switchable between 2-5/16" ball hitch or pintle eye
- dot LED lights
- 7-pin round plug, Phillips
- stabilizer jacks
- brake-away kit and charger
- heat shrink all connections
- insulated walls and ceiling
- 9x perimeter lighting
- 4x amber warning flasher lights
- 4x LED dome interior lights and 4x LED 48" light fixtures
- breaker panel, 24ct, 100A, 120/240V, 60A, CQO124M60PC
- Shore power plug
- 12V battery with battery with charger
- 1x exterior electrical outlet
- provision for roof top A/C and roof vent
- provision for windows (if applicable)
- solar charger

STEP TWO


CHOOSE FRONT WALL MODULE LAYOUT

Module, front side, office, sitting
countertop ☐




ITEM	QTY	PART #
Chest Unit	2	CH-14-48-12
Cargo Rail	2	CR-48W-12D
Drawer Unit	1	DU-28-18-24
Countertop	1	CT-1.5-96-25
Outlet	2	N/A
LED interior light	2	N/A

Module, front side, office,
standing height countertop ☐




ITEM	QTY	PART #
Chest Unit	2	CH-14-48-12
Countertop	1	CT-1.5-96-25
Drawer Unit	1	DU-36-18-24
Outlet	2	N/A
LED interior light	2	N/A

Module, front side, full height
closet ☐




ITEM	QTY	PART #
Closet Unit	2	CL-72-48-24

Module, front side, tool,
drawer & shelf combo ☐




ITEM	QTY	PART #
Closet Unit	1	CL-36-36-24
Drawer Unit	1	DU-36-36-24
Shelf Unit	1	SU-72-60-24

Module, front side, tool, full
height shelving ☐




ITEM	QTY	PART #
Shelf Unit	2	SU-72-48-24

Module, front side, 2 lockers
and closet combo ☐




ITEM	QTY	PART #
Locker Unit	2	LK-72-24-24
Shelf Unit	1	SU-72-48-24

Module, front side, tool, standing height countertop with full closets ☐



ITEM	QTY	PART #
Chest Unit	2	CH-14-48-12
Countertop	1	CT-1.5-96-25
Closet Unit	2	CL-36-48-24
Outlet	2	N/A
LED interior light	2	N/A

Module, front side, office, standing height countertop w/o drawer ☐



ITEM	QTY	PART #
Chest Unit	2	CH-14-48-12
Countertop	1	CT-1.5-96-25
Outlet	2	N/A
LED interior light	2	N/A



STEP THREE

CHOOSE CURBSIDE AND ROADSIDE LAYOUT

The table chart provided below determines which units will fit in your desired trailer length to ensure that your mobile workspace is optimized to its max.

LEGEND

3'

Choose from 3' wide module options.

4'

Choose from 4' wide module options.

3'WW

Choose from 3' wide with wheel well cutout module options.

4'WW

Choose from 4' wide with wheel well cutout module options.

		MODULES					
TRAILER LENGTH		BACK					FRONT
16'	Road side	4'WW	4'WW	3'WW			
	Curb side	4'WW	4'WW				
20'	Road side	4'	4'WW	4'WW	3'		
	Curb side	4'	4'WW	4'WW			
24'	Road side	4'	4'WW	4'WW	4'	3'	
	Curb side	4'	4'WW	4'WW	4'		
28'	Road side	4'	4'WW	4'WW	4'WW	4'	3'
	Curb side	4'	4'WW	4'WW	4'WW	4'	

4'W MODULES ➤




DU, DU, CL



DU, CT, CH, sitting height



DU, CT, CH, standing height



ITEM	QTY	PART #
Closet Unit	1	CL-36-48-24
Drawer Unit	2	DU-36-24-24

ITEM	QTY	PART #
Chest Unit	1	CH-14-48-12
Countertop	1	CT-1.5-48-25
Drawer Unit	1	DU-28-18-24
Side Panel	1	N/A
Outlet	2	N/A
LED interior light	1	N/A

ITEM	QTY	PART #
Chest Unit	1	CH-14-48-12
Countertop	1	CT-1.5-48-25
Drawer Unit	1	DU-36-18-24
Side Panel	1	N/A
Outlet	2	N/A
LED interior light	1	N/A




CT, CH, underslung drawer, standing height



CT, CH, underslung drawer, sitting height



BNCH, CH



ITEM	QTY	PART #
Chest Unit	1	CH-14-48-12
Countertop	1	CT-1.5-48-25
Underslung drawer	1	N/A
Side Panel	1	N/A
Outlet	2	N/A
LED interior light	1	N/A

ITEM	QTY	PART #
Closet Unit	1	CH-14-48-12
Countertop	1	CT-1.5-48-25
Underslung drawer	1	N/A
Side Panel	1	N/A
Outlet	2	N/A
LED interior light	1	N/A

ITEM	QTY	PART #
Chest Unit	1	CH-14-48-14
Bench Unit	1	BNCH-20-48-18

STEP THREE

CHOOSE CURBSIDE AND ROADSIDE LAYOUT


LK, LK




CL




SU adjustable



ITEM	QTY	PART #
Locker Unit	2	LK-72-24-24



ITEM	QTY	PART #
Closet Unit	1	CL-72-48-24



ITEM	QTY	PART #
Shelf Unit	1	SU-72-48-24


CL, SU




DU, DU, CT, CH, standing height




LK, LK, CT, CH, standing height



ITEM	QTY	PART #
Shelf Unit	1	SU-36-48-24
Closet Unit	1	CL-36-48-24




ITEM	QTY	PART #
Chest Unit	1	CH-14-48-12
Countertop	1	CT-1.5-48-25
Drawer Unit	1	DU-36-24-24
Outlet	2	N/A
LED interior light	1	N/A



ITEM	QTY	PART #
Chest Unit	1	CH-14-48-12
Countertop	1	CT-1.5-48-25
Locker Unit	2	LK-36-24-24
Outlet	2	N/A
LED interior light	1	N/A


4'W MODULES WITH WHEEL WELL CUTOUT ►

DU, CT, CH, sitting height (WW) ☐




ITEM	QTY	PART #
Chest Unit	1	CH-14-48-12
Countertop	1	CT-1.5-48-25
Drawer Unit	1	DU-28-18-24-WW
Side Panel	1	N/A
Outlet	2	N/A
LED interior light	1	N/A

DU, DU, CL (WW) ☐




ITEM	QTY	PART #
Closet Unit	1	CL-36-48-24
Drawer Unit	2	DU-36-24-24-WW

DU, CT, CH, standing height (WW) ☐




ITEM	QTY	PART #
Chest Unit	1	CH-14-48-12
Countertop	1	CT-1.5-48-25
Drawer Unit	1	DU-36-18-24-WW
Side Panel	1	N/A
Outlet	2	N/A
LED interior light	1	N/A

CT, CH, underslung drawer, standing height (WW) ☐




ITEM	QTY	PART #
Chest Unit	1	CH-14-48-12
Countertop	1	CT-1.5-48-25
Underslung drawer	1	N/A
Side panel (left)	1	N/A
Side panel (right)	1	N/A
Outlet	2	N/A
LED interior light	1	N/A

CT, CH, underslung drawer, sitting height (WW) ☐



ITEM	QTY	PART #
Chest Unit	1	CH-14-48-12
Countertop	1	CT-1.5-48-25
Underslung drawer	1	N/A
Side panel (left)	1	N/A
Side panel (right)	1	N/A
Outlet	2	N/A
LED interior light	1	N/A

LK, LK (WW) ☐



ITEM	QTY	PART #
Locker Unit	2	LK-72-24-24-WW

STEP THREE

CHOOSE CURBSIDE AND ROADSIDE LAYOUT

3'W MODULES ➤




CL (WW)



SU adjustable (WW)



DU, CL (36W)



ITEM	QTY	PART #
Closet Unit	1	CL-72-48-24-WW

ITEM	QTY	PART #
Shelf Unit	1	SU-72-48-24-WW

ITEM	QTY	PART #
Closet Unit	1	CL-36-36-24
Drawer Unit	1	DU-36-36-24




CT, CH, underslung drawer,
standing height (36W)



CT, CH, underslung drawer,
sitting height (36W)



BNCH, CH (36W)



ITEM	QTY	PART #
Chest Unit	1	CH-14-36-12
Countertop	1	CT-1.5-36-25
Underslung drawer	1	N/A
Side panel	1	N/A
Outlet	2	N/A
LED interior light	1	N/A

ITEM	QTY	PART #
Chest Unit	1	CH-14-36-12
Countertop	1	CT-1.5-36-25
Underslung drawer	1	N/A
Side panel	1	N/A
Outlet	2	N/A
LED interior light	1	N/A

ITEM	QTY	PART #
Chest Unit	1	CH-14-36-12
Bench Unit	1	BNCH-20-36-18


LK, LK (36W)




CL (36W)




SU adjustable (36W)



ITEM	QTY	PART #
Locker Unit	2	LK-72-18-24




ITEM	QTY	PART #
Closet Unit	1	CL-72-36-24



ITEM	QTY	PART #
Shelf Unit	1	SU-72-36-24

CL, SU (36W)



ITEM	QTY	PART #
Shelf Unit	1	SU-36-36-24
Closet Unit	1	CL-36-36-24

STEP THREE

CHOOSE CURBSIDE AND ROADSIDE LAYOUT

3'W MODULES WITH WHEEL WELL CUTOUT ▶




DU,DU,CL (36W WW)



CT, CH, underslung drawer,
standing height (36 W WW)



CT, CH, underslung drawer,
sitting height (36W WW)



ITEM	QTY	PART #
Closet Unit	1	CL-36-36-24
Drawer Unit	1	DU-36-36-24-WW

ITEM	QTY	PART #
Chest Unit	1	CH-14-36-12
Countertop	1	CT-1.5-36-25
Underslung drawer	1	N/A
Outlet	2	N/A
LED interior light	1	N/A
Side panel (left)	1	N/A
Side panel (right)	1	N/A

ITEM	QTY	PART #
Chest Unit	1	CH-14-36-12
Countertop	1	CT-1.5-36-25
Underslung drawer	1	N/A
Outlet	2	N/A
LED interior light	1	N/A
Side panel (left)	1	N/A
Side panel (right)	1	N/A




LK, LK (36W WW)



CL (36W WW)



SU adjustable (36W WW)



ITEM	QTY	PART #
Locker Unit	2	LK-72-18-24-WW

ITEM	QTY	PART #
Closet Unit	1	CL-72-36-24-WW

ITEM	QTY	PART #
Shelf Unit	1	SU-72-36-24-WW

STEP FOUR

ADD-ON OPTIONS



GENERATOR




7.5kW Diesel
Generator



7kW Portable Gas
Generator

**Please contact EZ STAK if greater output is required.*



HEATER

Quantity: _____



Electric Fan-Forced
Heater


Quantity: _____



Espar Diesel, 13600 BTU,
12V, Airtronic

STEP FOUR

ADD-ON OPTIONS




AC UNIT

Quantity: _____

☐

**13,500 BTU Dometic
Brisk Air**



**LIGHT
SWITCHES**

Quantity: _____

☐

**15A/120V, Decora
Light Switch**

Quantity: _____

☐

**15A/120V Decora Light
Switch, 3-way**



LIGHTING

Quantity: _____

☐

**110V Vaportight 110V
LED Lights**

Quantity: _____

☐

**12V Perimeter
Enhancement Scene Light**

Quantity: _____

☐

**12V Amber Flasher
Warning Light**

Quantity: _____


☐

**12V 8" Whelen LED
Round Dome Light**



STEP FOUR

ADD-ON OPTIONS



OUTLETS

Quantity: _____

☐

**15A/120V, 2 plug
GFCI Outlet, Interior**

Quantity: _____

☐

**15A/120V, 2 plug
Non-GFCI Outlet, Interior**

Quantity: _____

☐


**15A/120V, 2 plug,
Non-GFCI Outlet + 2
USB ports, Interior**

Quantity: _____

☐

**15A/120V, 2 plug, GFCI
Outlet, Exterior**






WINDOWS

Quantity: _____

☐

Window Sliding,
Horizontal, 36" x 22"



AWNING



14' Awning for 16'
Trailer

manual
electric

☐
☐

18' Awning for 20'
Trailer

manual
electric

☐
☐

21' Awning for 24'
Trailer

electric

☐

STEP FOUR


ADD-ON OPTIONS



21'

21' Awning for 28'
Trailer

electric

☐

APPLIANCES

Quantity: _____

☐

Refrigerator, Bar, 2.6
cu. ft., 115V AC

Quantity: _____

☐

Freezer, Mini, 3 cu. ft

Quantity: _____

☐


Microwave, 1.1 cu. ft.,
115V AC

Quantity: _____



Television
+ wall mount

☐☐



ACCESSORIES

Quantity: _____

☐

**Galvanized Steel
E-Track**

Quantity: _____

☐

**Floor Tie Down
Rings, 6000 Lbs.**


Quantity: _____



Computer Monitor
+ wall mount

☐☐

Quantity: _____

☐

Swivel Hooks

Quantity: _____


☐

Whiteboard

STEP FOUR

ADD-ON OPTIONS

Quantity: _____

☐

Peg Board 48" x 24"

Quantity: _____

☐

Fire Extinguisher

Quantity: _____

☐

CO Sensor

Quantity: _____

☐

**Vise, 6" Jaw Width,
360 Deg Swivel Base**



NOTES


PAST PROJECTS



30' GOOSENECK SUBSTATION TRAILER



22' MOBILE MAINTENANCE TRAILER





20' CREW SUPPORT TRAILER



20' TRANSMISSION TRAILER





ABOUT EZ STAK

EZ STAK® is a leading manufacturer of aluminum interiors and turnkey solutions for trailers and vehicles in a wide variety of industries. Regardless of whether clients require a complete electrical upfit, interior cabinets, or accessories, EZ STAK's team ensures the needs of each fleet are heard and met with every concept. EZ STAK optimizes mobile workspace systems that are built to last.

CONTACT US



315.595.3300



ezstak.com



20400 Old Rome State Road
Watertown, NY 13601, USA